

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim1(Currently Amended): A system for absorbing an impact energy, said system comprising:

- first and second blow molded thermoplastic energy absorbing members;
each of said first and said second energy absorbing members having
opposing first and second walls defining a hollow space;
at least one pair of coaxially joined first and second three dimensional
ribs disposed within each said first and said second energy
absorbing members, said first rib being integrally molded from and
directly connected to said first wall and extending from said first
wall into said hollow space, said second rib being integrally
molded from and directly connected to said second wall and
extending from said second wall into said hollow space so as to
couple said first rib;
- a welded surface ~~disposed between~~ fusing said first and second ribs at a
junction disposed at an opposite end of said first rib from said first
wall and at an opposite end of said second rib from said second
wall, said weld surface being directly disposed between and joining
said first and said second ribs; and
- wherein said first and second energy absorbing members are aligned such
that said at least one pair of coaxially joined first and second three
dimensional ribs of said first energy absorbing member are
coaxially aligned with said at least one pair of coaxially joined first
and second three dimensional ribs of said second energy absorbing
member so that said impact energy is distributed between said
energy absorbing members and absorbed by said energy absorbing
members;

a projecting part is disposed in said first wall of said first energy absorbing member, and a receiving part for receiving said projecting part is disposed in the second wall of said second energy absorbing member such that when said projecting part mates with said receiving part, said first and said second impact absorbing members are aligned.

Claim 2 (Original): The system according to claim 1, wherein said first energy absorbing member and said second energy absorbing member have different sizes.

Claim 3 (Canceled).

Claim 4 (Original): The system according to claim 1, wherein said first energy absorbing member and said second energy absorbing member are interlocked with each other via a thin part.

Claim 5 (Canceled).

Claim 6 (Previously Presented): The system according to claim 1, wherein the receiving part is a recessed part.

Claim 7 (Previously Presented): The system according to claim 1, wherein the receiving part is a through hole.

Claim 8 (Original): The system according to claim 1, wherein an interlocking piece is disposed on at least one of said energy absorbing members in such a way as to align said first and second energy absorbing members

Claim 9 (Original): The system according to claim 8, wherein a projecting part is formed in said interlocking piece

Claim 10 (Original): The system according to claim 8, wherein a through hole is formed in said interlocking piece.

Claim 11 (Previously Presented): The system according to claim 8, wherein said interlocking piece is formed integrally on a side surface of at least one of said energy absorbing members via a thin part.

Claim 12 (Previously Presented): The system according to claim 8, wherein said interlocking piece is formed in the vicinity of a parting line formed on a side surface linking said first and second wall of at least one of said energy absorbing members.

Claim 13 (Original): The system according to claim 8, wherein said interlocking piece is pressed and formed by a parting surface of a split mold during blow molding.

Claim 14 (Previously Presented): The system according to claim 8, wherein a plurality of said energy absorbing members are interlocked and fixed by fixing said interlocking piece to an adjacent at least one of said energy absorbing members.

Claim 15 (Previously Presented): The system according to claim 8, further comprising a stopping member coupling said interlocking piece to an adjacent at least one of said energy absorbing members.

Claim 16 (Previously Presented): The system according to claim 8, wherein a plurality of said energy absorbing members are interlocked and fixed by fitting

said interlocking piece to an adjacent at least one of said energy absorbing members.

Claim 17 (Previously Presented): The system according to claim 8, wherein a plurality of said energy absorbing members are interlocked and fixed integrally by welding said interlocking piece to an adjacent at least one of said energy absorbing members.

Claim 18 (Previously Presented): The system according to claim 8, wherein a plurality of the energy absorbing members are interlocked and fixed by coupling a first said interlocking piece from one said energy absorbing member to a second said interlocking piece from an adjacent at least one of said energy absorbing members.

Claim 19 (Original): The system according to claim 18, further comprising a stopping member inserted through said first and second interlocking pieces.

Claim 20 (Original): The system according to claim 18, wherein a plurality of said interlocking pieces are snapped together.

Claim 21 (Original): The system according to claim 18, wherein a plurality of said interlocking pieces are welded together.

Claim 22 (Previously Presented): The system according to claim 1, further comprising a stopping member inserted through at least one of said welded surfaces.

Claim 23-31(Canceled)